

Author Index

Åkerlund, H.-E., see Bratt, C.E. (1165) 288
 Akkerman, J.W.N., see Surya, I.I. (1165) 19
 Alberghina, L., see Longhi, S. (1165) 129
 Amirkhanian, J.D. and Taeusch, H.W.
 Reversible and irreversible inactivation of preformed pulmonary surfactant surface films by changes in subphase constituents (1165) 321
 Andersson, M., see Löw, P. (1165) 102
 Annand, R.R., see Dudler, T. (1165) 201
 Balaram, P., see David, S.A. (1165) 147
 Balasubramanian, K.A., see David, S.A. (1165) 147
 Ben Naim, M., see Stein, O. (1165) 153
 Bierman, E.L., see Oikawa, S. (1165) 327
 Binaglia, L., see Roberti, R. (1165) 183
 Bourre, J.-M., see Gerbi, A. (1165) 291
 Bratt, C.E. and Åkerlund, H.-E.
 Isolation of pigment-free bulk lipids from thylakoids (1165) 288
 Brenner, R.R., see Leikin, A.I. (1165) 189
 Brissette, L. and Falstrault, L.
 Analysis of the binding and association of human intermediate density lipoproteins to HepG2 cells (1165) 84
 Brown, M.L., Clark, C.A., Vaillancourt, R. and Deykin, D.
 Elevated glucose alters A23187-induced release of arachidonic acid from porcine aortic endothelial cells by enhancing reacylation (1165) 239
 Bush, S.R., see Lamb, R.G. (1165) 299
 Campagnola, M., see Cominacini, L. (1165) 279
 Chanez, C., see Gerbi, A. (1165) 291
 Chen, W.-Q., see Dudler, T. (1165) 201
 Cheung, M.C., Wolf, A.C., Knopp, R.H. and Foster, D.M.
 Protein transfer between A-I-containing lipoprotein subpopulations: evidence of non-transferable A-I in particles with A-II (1165) 68
 Cheung, M.C., see Oikawa, S. (1165) 327
 Chijiwa, K., see Kishinaka, M. (1165) 222
 Clark, C.A., see Brown, M.L. (1165) 239
 Clark, M.A., see Garsetti, D.E. (1165) 229
 Coleman, R.A.
 Hepatic monoacylglycerol acyltransferase activity in HA1 and HA7 hepatoma/hepatocyte hybrid cells: regulation by insulin and dexamethasone and by cell density (1165) 306
 Cominacini, L., Pastorino, A.M., McCarthy, A., Campagnola, M., Garbin, U., Davoli, A., De Santis, A. and Lo Cascio, V.
 Determination of lipid hydroperoxides in native low-density lipoprotein by a chemiluminescent flow-injection assay (1165) 279
 Craig, W.Y.
 The effect of compounds associated with cigarette smoking on the secretion of lipoprotein lipid by HepG2 cells (1165) 249
 Cramer, R., see Dudler, T. (1165) 201
 Crawford-Redick, C.L., see Lister, M.D. (1165) 314
 Dabach, Y., see Stein, O. (1165) 153
 Dallner, G., see Löw, P. (1165) 102
 David, S.A., Balasubramanian, K.A., Mathan, V.I. and Balaram, P.
 Analysis of the binding of polymyxin B to endotoxic lipid A and core glycolipid using a fluorescent displacement probe (1165) 147
 Davignon, J., see Giroux, L.M. (1165) 335
 Davoli, A., see Cominacini, L. (1165) 279
 Debray, M., see Gerbi, A. (1165) 291
 Dempcy, R.O., see Dudler, T. (1165) 201
 De Santis, A., see Cominacini, L. (1165) 279
 Deykin, D., see Brown, M.L. (1165) 239
 Dudler, T., Chen, W.-Q., Wang, S., Schneider, T., Annand, R.R., Dempcy, R.O., Cramer, R., Gmachl, M., Suter, M. and Gelb, M.H.
 High-level expression in *Escherichia coli* and rapid purification of enzymatically active honey bee venom phospholipase A₂ (1165) 201
 Duham, J., see Engelmann, B. (1165) 32
 Duham, J., see Engelmann, B. (1165) 38
 Dunning, A.M., Renges, H.-H., Hamsten, A., Talmud, P. and Humphries, S.
 A postulated phylogenetic tree for the human apolipoprotein B gene: unpredicted haplotypes are associated with elevated apo B levels (1165) 271
 Durand, G., see Gerbi, A. (1165) 291
 Edlund, C., see Löw, P. (1165) 102
 Egan, R.W., see Garsetti, D.E. (1165) 229
 Engelmann, B., Streich, S., Schönthier, U.M., Richter, W.O. and Duham, J.
 Changes of membrane phospholipid composition of human erythrocytes in hyperlipidemias. I. Increased phosphatidylcholine and reduced sphingomyelin in patients with elevated levels of triacylglycerol-rich lipoproteins (1165) 32
 Engelmann, B., Schönthier, U.M., Richter, W.O. and Duham, J.
 Changes of membrane phospholipid composition of human erythrocytes in hyperlipidemias. II. Increases in distinct molecular species of phosphatidylethanolamine and phosphatidylcholine containing arachidonic acid (1165) 38
 Falstrault, L., see Brissette, L. (1165) 84
 Fellermann, K., Reimann, F.M., Herold, G. and Stange, E.F.
 Mevinolin, a competitive inhibitor of hydroxymethylglutaryl coenzyme A reductase, suppresses enterocyte esterification of exogenous but not endogenous cholesterol (1165) 78
 Foster, D.M., see Cheung, M.C. (1165) 68
 Freysz, L., see Roberti, R. (1165) 183
 Furihata, K.-i., see Tozuka, M. (1165) 61
 Fusetti, F., see Longhi, S. (1165) 129
 Garbin, U., see Cominacini, L. (1165) 279
 Gardner, H.W., see Hamberg, M. (1165) 1
 Garsetti, D.E., Özgür, L.E., Steiner, M.R., Egan, R.W. and Clark, M.A.
 Isolation and characterization of three lysophospholipases from the murine macrophage cell line WEHI 265.1 (1165) 229
 Gelb, M.H., see Dudler, T. (1165) 201
 Gerbi, A., Zerouga, M., Debray, M., Durand, G., Chanez, C. and Bourre, J.-M.
 Effect of dietary α -linolenic acid on functional characteristic of Na⁺/K⁺-ATPase isoenzymes in whole brain membranes of weaned rats (1165) 291

Giroux, L.M., Davignon, J. and Naruszewicz, M.
Simvastatin inhibits the oxidation of low-density lipoproteins by activated human monocyte-derived macrophages (1165) 335

Gmachl, M., see Dudler, T. (1165) 201

Gorter, G., see Surya, I.I. (1165) 19

Gross, R.W., see Miyake, R. (1165) 167

Hamberg, M. and Gardner, H.W.
Oxylipin pathway to jasmonates: biochemistry and biological significance (1165) 1

Hamsten, A., see Dunning, A.M. (1165) 271

Hashimoto, K., Sekiya, F., Takagi, J., Tsukada, T., Sato, F. and Saito, Y.
Activation of phospholipases in platelets by polyclonal antibodies against a surface membrane protein (1165) 27

Hayashi, A., see Yamaguchi, Y. (1165) 110

Hayashi, A., see Yamaguchi, Y. (1165) 160

Herold, G., see Fellermann, K. (1165) 78

Hidaka, H., see Tozuka, M. (1165) 61

Hollander, G., see Stein, O. (1165) 153

Horiuchi, S., see Ohta, T. (1165) 119

Hostetler, K.Y., see Van Wijk, G.M.T. (1165) 45

Humphries, S., see Dunning, A.M. (1165) 271

Ichimiya, H., see Kishinaka, M. (1165) 222

Iguchi, K., see Watanabe, M. (1165) 53

Ikeda, Y., see Ohta, T. (1165) 119

Imaizumi, K., see Sato, M. (1165) 93

Iwamori, M., see Takamatsu, K. (1165) 177

Justin, A.-M. and Mazliak, P.
Comparison of the molecular species patterns of phosphatidic acid, CDP-diacylglycerols and phosphatidylinositol in potato tuber, pea leaf and soya-bean microsomes: consequences for the selectivity of the enzymes catalyzing phosphatidylinositol biosynthesis (1165) 141

Kanai, M., see Tozuka, M. (1165) 61

Katsuyama, T., see Tozuka, M. (1165) 61

Khandelwal, R.L., see King, M.J. (1165) 259

Kiguchi, K., see Takamatsu, K. (1165) 177

King, M.J., Pugazhenthi, S., Khandelwal, R.L. and Sharma, R.K.
Elevated N-myristoyl transferase activity is reversed by sodium orthovanadate in streptozotocin-induced diabetic rat (1165) 259

Kishinaka, M., Kosahara, K., Okamoto, S., Oda, H., Ichimiya, H., Chijiwa, K. and Kuroki, S.
Metabolism of intravenously administered 7 α -hydroxycholesterol-3 β -stearate in the hamster (1165) 222

Knopp, R.H., see Cheung, M.C. (1165) 68

Koch, J.C., see Lamb, R.G. (1165) 299

Konda, K., see Yamaguchi, Y. (1165) 110

Kosahara, K., see Kishinaka, M. (1165) 222

Kudoh, S., see Watanabe, M. (1165) 53

Kuroki, S., see Kishinaka, M. (1165) 222

Lamb, R.G., Koch, J.C. and Bush, S.R.
An enzymatic explanation of the differential effects of oleate and gemfibrozil on cultured hepatocyte triacylglycerol and phosphatidylcholine biosynthesis and secretion (1165) 299

Leikin, A.I. and Brenner, R.R.
In vivo phospholipid modification induces changes in microsomal $\Delta 5$ -desaturase activity (1165) 189

Lister, M.D., Crawford-Redick, C.L. and Loomis, C.R.
Characterization of the neutral pH-optimum sphingomyelinase from rat brain: inhibition by copper II and ganglioside GM3 (1165) 314

Lo Cascio, V., see Cominacini, L. (1165) 279

Longhi, S., Lotti, M., Fusetti, F., Pizzi, E., Tramontano, A. and Alberghina, L.
Homology-derived three-dimensional structure prediction of *Candida cylindracea* lipase (1165) 129

Loomis, C.R., see Lister, M.D. (1165) 314

Lotti, M., see Longhi, S. (1165) 129

Löw, P., Andersson, M., Edlund, C. and Dallner, G.
Effects of mevinolin treatment on tissue dolichol and ubiquinone levels in the rat (1165) 102

Mancini, A., see Roberti, R. (1165) 183

Mathan, V.I., see David, S.A. (1165) 147

Matsuda, I., see Ohta, T. (1165) 119

Mazliak, P., see Justin, A.-M. (1165) 141

McCarthy, A., see Cominacini, L. (1165) 279

McCartney, R.J., see Speake, B.K. (1165) 263

Mendez, A.J., see Oikawa, S. (1165) 327

Mikami, M., see Takamatsu, K. (1165) 177

Minnikin, D.E., see Watanabe, M. (1165) 53

Miyachi, M., see Tozuka, M. (1165) 61

Miyake, R. and Gross, R.W.
Multiple phospholipase A₂ activities in canine vascular smooth muscle (1165) 167

Miyazaki, A., see Ohta, T. (1165) 119

Mommersteeg, M., see Surya, I.I. (1165) 19

Mori, H., see Sato, M. (1165) 93

Moser, U., see Raederstorff, D. (1165) 194

Nakamura, R., see Ohta, T. (1165) 119

Naruszewicz, M., see Giroux, L.M. (1165) 335

Noble, R.C., see Speake, B.K. (1165) 263

Nozawa, S., see Takamatsu, K. (1165) 177

Oarada, M. and Terao, K.
Injury of mouse lymphocytes caused by exogenous methyl linoleate hydroperoxides in vitro (1165) 135

Oda, H., see Kishinaka, M. (1165) 222

Oette, K., see Stein, O. (1165) 153

Ohta, M., see Yamaguchi, Y. (1165) 160

Ohta, T., Nakamura, R., Ikeda, Y., Shinohara, M., Miyazaki, A., Horiuchi, S. and Matsuda, I.
Differential effect of subspecies of lipoprotein containing apo-lipoprotein A-I on cholesterol efflux from cholesterol-loaded macrophages: functional correlation with lecithin:cholesterol acyltransferase (1165) 119

Oikawa, S., Mendez, A.J., Oram, J.F., Bierman, E.L. and Cheung, M.C.
Effects of high-density lipoprotein particles containing apo A-I, with or without apo A-II, on intracellular cholesterol efflux (1165) 327

Okamoto, S., see Kishinaka, M. (1165) 222

Oram, J.F., see Oikawa, S. (1165) 327

Özgür, L.E., see Garsetti, D.E. (1165) 229

Pastorino, A.M., see Cominacini, L. (1165) 279

Pizzi, E., see Longhi, S. (1165) 129

Pugazhenthi, S., see King, M.J. (1165) 259

Raederstorff, D. and Moser, U.
Influence of an increased intake of linoleic acid on the incorporation of dietary (n-3) fatty acids in phospholipids and on prostanoid synthesis in rat tissues (1165) 194

Reimann, F.M., see Fellermann, K. (1165) 78

Renges, H.-H., see Dunning, A.M. (1165) 271

Richter, W.O., see Engelmann, B. (1165) 32

Richter, W.O., see Engelmann, B. (1165) 38

Robert, R., Mancini, A., Freysz, L. and Binaglia, L.
Reversibility of the reactions catalyzed by cholinephosphotransferase and ethanolaminephosphotransferase solubilized from rat-brain microsomes (1165) 183

Saito, Y., see Hashimoto, K. (1165) 27

Sato, F., see Hashimoto, K. (1165) 27

Sato, M., Imaizumi, K., Mori, H. and Sugano, M.
Regulation of intestinal apo A-IV mRNA abundance in rat pups during fasting and refeeding (1165) 93

Schneider, T., see Dudler, T. (1165) 201

Schönthier, U.M., see Engelmann, B. (1165) 32

Schönthier, U.M., see Engelmann, B. (1165) 38

Sekiya, F., see Hashimoto, K. (1165) 27

Sharma, R.K., see King, M.J. (1165) 259

Shinohara, M., see Ohta, T. (1165) 119

Speake, B.K., Noble, R.C. and McCartney, R.J.
Tissue-specific changes in lipid composition and lipoprotein lipase activity during the development of the chick embryo (1165) 263

Stange, E.F., see Fellermann, K. (1165) 78

Stein, O., Oette, K., Dabach, Y., Hollander, G., Ben Naim, M. and Stein, Y.
Persistence of increased cholestryl ester in human skin fibroblasts is caused by residual exogenous sphingomyelinase and is reversed by phospholipid liposomes (1165) 153

Stein, Y., see Stein, O. (1165) 153

Steiner, M.R., see Garsetti, D.E. (1165) 229

Streich, S., see Engelmann, B. (1165) 32

Sugano, M., see Sato, M. (1165) 93

Surya, I.I., Gorter, G., Mommersteeg, M. and Akkerman, J.W.N.
Enhancement of platelet functions by low density lipoproteins (1165) 19

Suter, M., see Dudler, T. (1165) 201

Suurmeijer, C.N.S.P., see Van Wijk, G.M.T. (1165) 45

Taeusch, H.W., see Amirkhanian, J.D. (1165) 321

Takagi, J., see Hashimoto, K. (1165) 27

Takamatsu, K., Mikami, M., Kiguchi, K., Nozawa, S. and Iwamori, M.
Structural characteristics of the ceramides of neutral glycosphingolipids in the human female genital tract—their menstrual cy-

cle-associated change in the cervical epithelium and uterine endometrium, and their dissociation in the mucosa of the fallopian tube with the menstrual cycle (1165) 177

Talmud, P., see Dunning, A.M. (1165) 271

Teichert, T. and Wodtke, E.
Acyl-CoA: cholesterol acyltransferase and 3-hydroxy-3-methylglutaryl-CoA reductase in carp-liver microsomes: effect of cold acclimation on enzyme activities and on hepatic and plasma lipid composition (1165) 211

Terao, K., see Oarada, M. (1165) 135

Tozuka, M., Hidaka, H., Miyachi, M., Furihata, K.-i., Katsuyama, T. and Kanai, M.
Identification and characterization of apolipoprotein(AII-E2-AII) complex in human plasma lipoprotein (1165) 61

Tramontano, A., see Longhi, S. (1165) 129

Tsukada, T., see Hashimoto, K. (1165) 27

Vaillancourt, R., see Brown, M.L. (1165) 239

Van den Bosch, H., see Van Wijk, G.M.T. (1165) 45

Van Wijk, G.M.T., Hostetler, K.Y., Suurmeijer, C.N.S.P. and Van den Bosch, H.
Synthesis, characterization and some properties of dideoxynucleoside analogs of cytidine diphosphate diacylglycerol (1165) 45

Wang, S., see Dudler, T. (1165) 201

Watanabe, M., Kudoh, S., Yamada, Y., Iguchi, K. and Minnikin, D.E.
A new glycolipid from *Mycobacterium avium*—*Mycobacterium intracellulare* complex (1165) 53

Wodtke, E., see Teichert, T. (1165) 211

Wolf, A.C., see Cheung, M.C. (1165) 68

Yamada, Y., see Watanabe, M. (1165) 53

Yamaguchi, Y., Konda, K. and Hayashi, A.
Studies on the chemical structure of neutral glycosphingolipids in eggs of the sea hare, *Aplysia juliana* (1165) 110

Yamaguchi, Y., Ohta, M. and Hayashi, A.
Structural elucidation of a novel phosphonoglycosphingolipid in eggs of the sea hare *Aplysia juliana* (1165) 160

Zerouga, M., see Gerbi, A. (1165) 291

U·M·I

SHOULD READ VOLUME 1165 (1992-1993)